IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| In re application of: Holstege | Application No.: 09/848,987 |
|--------------------------------|--|
| Patent No.: 7,543,024 | REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.323 |
| Issued: Jun. 2, 2009 | |
| | |

Commissioner for Patents Office of Patent Publications Attn: Certificate of Correction Branch P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir/Ma'am:

Pursuant to 37 CFR § 1.323, Applicant submits a Certificate of Correction correcting clerical errors or mistakes minor in character in the printed patent. The desired correction is set forth on the enclosed form PTO/SB/44.

These corrections do not involve changes, which would (1) constitute new matter or (2) require reexamination. *In re Arnott*, 19 USPQ 2d 1049, 1052 (Comm'r Pat. 1991).

The errors sought to be corrected were made by:

the Patent and Trademark Office. Thus, no fee is required for the Certificate of Correction pursuant to 37 CFR §1.322.

Applicant(s) (at least in part). Please charge the fee, as set forth in § 1.20(a), to Deposit Account 150635.

Please deduct any additional fees from, or credit any overpayment to, the Deposit Account 150635. Patent No. 7,543,024

Request for Certificate of Correction

Please direct all inquiries concerning this request to the undersigned attorney at Telephone number 408-236-6687.

Respectfully submitted,
MAHAMEDI PARADICE KREISMAN, LLP

Christopher J. Brokaw

Reg. No. 45,620 Date: April 29, 2010

550 South Winchester Boulevard, Ste. 605 San Jose, CA 95128

Telephone: (408) 236-6687 Facsimile: (408) 236-6641

Attachment

Approved for use through 681/2010. U. 00.065-0.033
U. S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE.
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it, displays a valid OMB control number.

In the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it, displays a valid OMB control number.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,543,024 Page 1 of 1

APPLICATION NO.: 09/848,987
ISSUE DATE : Jun. 2, 2009
INVENTOR(S) : Holstege

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 3, line 17-18, delete "Tranformer" and insert - - Transformer - -, therefor.

In column 6, line 57, delete "well-shown" and insert - - well-known - -, therefor.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Oracle Corporation Legal (M/S 5op7) 500 Oracle Parkway Redwood Shores, CA 94065

This collection of information is required by 37 CPR 1-322, 1-323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by \$5 U.S.C. 122 and 37 CPR 1-14. This collection is either to late 1.0 hours to complete, including gashing, preparing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete the form and/or suggestions for reducing the burden, should be sent to the findmention Officer. The control of the property of the complete the complete the complete the property of the p